UK Community meeting on plan B for ESPP

Sarah Williams, on behalf of the drafting coordination team (Jim Clarke, Ruben Saakyan, Mark Williams, Sarah Williams and Davide Costanzo)

Introduction

Introduction

- Thank you for everyone for their engagement with the process so far.
- The UK's input to the process so far can be found here: https://indico.cern.ch/event/1439855/contributions/6461578/
 - v1 ahead of 31st March deadline -> statement of support for FCC infrastructure as "plan A", full exploitation of LHC, maintain CERN as global leader in collider physics and avoid a long gap post-LHC, whilst supporting diversity in the field.
 - v2 following 28th April meeting -> reorganised discussion on risk mitigation/possible alternatives but no prioritization.
- The aim for today is to try and converge on prioritised plan B(s) in the specific scenarios that FCC is either not feasible or not competitive.
- We should aim (if possible) to make clear statements in order to influence upcoming strategy discussions.





= I'd like to make a comment on the current question/discussion

Meeting guidelines

- This is the first of the drafting meetings we are attempting to do fully online and we want to facilitate active discussions.
- Please turn your camera on if you feel comfortable.
- We will *try* to differentiate between new questions and comments and follow-ups/expansions
 on the current point through different zoom emojis (see above)- we will review this as the
 meeting progresses and adjust if necessary.
- We will monitor the zoom chat window for questions/points of clarification but please avoid having/starting parallel discussions.
- We will use zoom polls in the discussion sessions to understand levels of consensus- please ensure you have a device you can use for the polls.
- We will record the meeting but only for minuting purposes- it will not be made public.
- Please respect the CERN code of conduct <u>https://hr.web.cern.ch/cerns-values-and-code-conduct</u>
- Finally, please register on indico if you haven't already done so.

Today's goals

We are aiming to provide answers to the following questions (requested by the strategy secretariat), which will be submitted as a 1-2 page addendum to our existing input*

- What is the preferred large-scale post-LHC accelerator for CERN?
- 2. What is the preferred alternative, if the preferred option is not feasible?
- 3. What is the preferred alternative, if the preferred option would not be competitive?
- We think (1) is already answered however we plan a short discussion to reaffirm our position and to discuss any possible strengthening of our previous statement.
- Most of today's discussion is then devoted to (2) and (3).

^{*} ideally we would like to avoid updating the previous input

Timescales for updating our input

- The drafting team will prepare a preliminary draft of our 1-2 page document to be circulated to the community early next week (ideally Monday 3rd November).
 - As this document will be based on statements/sentiments we hope to endorse today we hope it will accurately capture the views of the community.
 - We will collect comments to improve the phrasing/clarity of the document for 1 week.
- The deadline for comments will be Monday 10th November, after which we will prepare the final document for submission by 14th November.

What do we mean by not feasible vs not competitive?

- Not feasible= cannot be delivered in reasonable time-frame due to cost/ resources/ technical developments.
- Not competitive= CEPC (or another e+e-) is delivered elsewhere on a shorter timescale*

This should be delineated from discussions on risk mitigation/adjustments WITHIN plan A (which were already discussed as part of our support for the FCC infrastructure).

*https://cerncourier.com/a/cepc-matures-but-approval-is-on-hold/ - we should still answer the question


Input to this discussion

- 1. Inputs circulated to the community along with the survey:
 - a. https://indico.in2p3.fr/event/33627/contributions/156477/
 - b. <u>Summary table</u> put together by Mark Lancaster.
- 2. The physics briefing book (released at the end of september): https://cds.cern.ch/record/2944678?ln=en
- ESG project comparison report.
- 4. Results of the community survey (which is NOT a vote).


We plan to briefly summarise/signpost information from 2-4 before beginning our discussion.

Key point: in order to converge on some definite statements (most impact) we have sketched out some 'decision-trees' to guide the discussion...

Framing the discussion- FCC not feasible




Framing the discussion- FCC not competitive




Overview of briefing book (to be presented by Ruben Saakyan)

Briefing Book and Plan B

- 300-page community summary underpinning the ESPP 2026 update.
- Provides scientific and R&D context for all frontier projects.
- Forms evidence base for strategic choices, not a prioritisation document.
- Relevant to Plan B because it identifies viable collider alternatives and the breadth of the field to preserve.



Main Physics and R&D areas



Ambition vs Resources: physics reach is cost driven

- Energy size × magnet field
 → cost.
- Higher energy/precision → rise in complexity, infrastructure, timescale.
- To first order: physics scales with money. More nuanced for intermediate projects

Collider	Type	Main Operating Energies	Notes	
		(\sqrt{s})		
LEP3	Circular e⁺e⁻	\approx 91 GeV (Z-pole)≈ 160 GeV (WW threshold)≈ 230 GeV (Higgs-strahlung peak)	Reuses existing LHC/LEP tunnel; two IPs.Focus on precision EW (Z, W) and Higgs factory at 230 GeV.	
FCC-ee	Circular e⁺e⁻	91 GeV (Z-pole)160 GeV (WW threshold)240 GeV (Higgs-strahlung peak)365 GeV (top-pair threshold)	Four IPs; very high luminosity. Can also run at > 365 GeV for top EW couplings; basis for Tera-Z (6×10^{12} Z).	
LCF (ILC-like)	Linear e⁺e⁻	91 GeV (Z-pole)250 GeV (Higgs factory)550 GeV (top threshold + di-Higgs)1 TeV (upgrade)	Polarised beams (e ⁻ , e ⁺).Baseline: 250 GeV → 550 GeV → 1 TeV staged run plan.	
CLIC	Linear e⁺e⁻	380 GeV (initial stage)1.5 TeV (intermediate)3 TeV (ultimate)	High-gradient two-beam acceleration; strong Higgs & top reach at > 550 GeV.	
LHeC	Electron-pro ton (ep)**	50 GeV e ⁻ × 7 TeV p → \sqrt{s} ≈ 1.2 TeV	Energy-recovery linac for 50 GeV electrons; single IP in LHC ring.	
FCC-hh	Proton-proto n	85 TeV (√s)	Second-stage hadron collider in same tunnel; paired with FCC-ee in integrated programme.	

Alternatives to FCC

5

- Linear Collider (ILC-type, CLIC): mature R&D,
 precision Higgs/top, extendable to ~TeV. Potential
 CERN-based Higgs factory.
- Intermediate projects (LHeC, LEP3): lower-cost, compelling programme, reusing existing infrastructure.
 Bridge to FCC-hh.

Either path maintains CERN leadership in collider physics. But will have different implications on programme diversity and future of CERN Pursuing R&D for FCC-hh or novel 10 TeV pCM is another strategic path. But could widen post-HL-LHC gap.

Highlights: Physics reach and complementarity of alternatives

Observable	LEP3	FCC-ee	Linear Collider (LCF/CLIC)
Z sample	2×10^{12}	6 × 10 ¹²	5 × 10 ⁹ (polarised)
mZ precision	7.5 keV (stat)	4 keV	200 keV
sin²θW precision	0.75×10^{-6}	0.4×10^{-6}	2.7×10^{-6}
mW precision	430 keV	180 keV	500 keV
Higgs mass precision	10 MeV	4 MeV	12 MeV
λ₃ (self-coupling)	No improvement	15–20%	7–11%
Invisible H width (95% CL)	0.20%	0.055%	0.12%
Top mass precision	_	7 MeV	20 MeV
Distinct features	Compact, lower cost	Ultimate precision (EW & Higgs)	Higher energy reach (top, λ_3)

FCC → detailed feasibility;

Linear Collider → established design;

 $LHeC/LEP3 \rightarrow concept$ -level studies.

LHeC

Physics	1	Exmanted Decah /	Comments
	Key Observable /	Expected Reach /	Comments
Area	Process	Precision	
Higgs	$H \rightarrow c \bar{c} *$	First direct	Unique probe of 2nd-generation
sector		measurement	Yukawa couplings.
	Charged-current Higgs	Precise HWW coupling	Clean EW environment;
	production ($e^-p \rightarrow vH$ X)		complements e⁺e⁻ factories.
EW &	W-boson mass	± 3 MeV (combined	Among world-best;
PDFs		with HL-LHC)	theory-driven via precise PDFs.
	sin²θW (running)	High-precision at	Tests weak mixing angle scale
		10–100 GeV Q ²	dependence.
	$\alpha s(mZ^2)$	≈ 0.1 %	One of the most precise
			determinations worldwide.
	Proton PDFs	≤ 1 % across broad x	Critical input for FCC-hh /
		range	HL-LHC cross-sections.
Тор	Wtb vertex *	Clean single-top access	Isolates electroweak couplings
quark			with minimal QCD background.
BSM /	Top-FCNC & EW	Sensitivity between	Adds independent constraints on
EFT	operators	HL-LHC and e⁺e⁻	dimension-6 operators.
		machines	

*Complementary to e+e-; earlier reach via LHeC

Take-Away


- Europe needs vision and flexibility
 - No single facility can cover full physics landscape
 - o Combine flagship collider with sustained, diverse programmes and strong R&D
- Physics reach scales with investment but not linearly. Intermediate projects can sustain high physics value and CERN leadership under tighter budgets
- Main alternatives have different implications on programme diversity, R&D and future of CERN
 - Linear Collider
 - Intermediate projects (LHeC/LEP3)
 - o R&D for 10 TeV pcM
- R&D effort must be maintained under all scenarios

Considerations/perspectives from CERN (To be summarised by Mark Lancaster)


Summary of survey results (to be presented by Sarah Williams)

Scenarios considered in our survey


- 1. An e+e- collider is built elsewhere (e.g. CEPC in China, ILC in Japan)
- FCC(ee+hh) is unaffordable on a short timescale but may be possible on a longer timescale
- 3. FCC(ee+hh) is unaffordable




Note- each participant only selected ONE answer for this question




Note- each participant only selected ONE answer for this question




How important is it to have an intermediate project at CERN (e.g. LHeC, LEP3) in Scenario 2? Press skip if unsure. Scenario 2 - FCC(ee+hh) is unaffordable on a short timescale but may be possible on a longer timescale Essential Important but not critical Text Useful, but not a priority Detrimental, better focus on R&D instead Strongly disagree Strongly agree







Cross-cutting themes



Points for consideration throughout the discussions

There are some nuances/details we might want to consider that weren't fully captured in the survey (though some were mentioned in comments):

- Details on staging of LC- differentiate between "low-energy" and "high-energy"
 LC (only partially captured through LCF vs CLIC).
- Lower-energy hadron collider either in LHC or FCC tunnel?

Plus more you may want to raise?

Using the survey as input to the meeting

- Aim of the survey is to guide discussions today and not provide a vote!
- Proposal for questions (2) and (3): Identify possible sentiments from the results of the survey that *could* have consensus within the community and discuss them further - these will be presented before examining the decision-tree schematics in more detail.
- **Key point:** none of these statements are taken as a given, but we want to establish whether there would/wouldn't be support for such statements and/or identify additional statements based on community discussions today.

ESG comparison of projects (presented by Phil Burrows)

Discussion session I- consensus on "plan A"

Discussion session I

Q1: What is your preferred large-scale post-LHC accelerator for CERN?

Based on the previous community consensus and the UK particle physics input to the ESPP (May 2025):

The UK community's preferred large-scale post-LHC accelerator is a new large-circumference tunnel at CERN (the FCC tunnel), enabling an integrated FCC-ee → FCC-hh programme or a direct FCC-hh pathway.

Discussion session II-What is the plan B alternative, if plan A isn't feasible?

(2) what is the preferred alternative, if the preferred option is not feasible?

Possible statements based on survey (relevant to scenarios 2 and 3):


- If FCC delayed, we see a period of ~10 years as the maximum acceptable gap between the end of the HL-LHC and the start of FCC; if it will be greater than this a plan B should be pursued.
- If not possible at all, strong support for increased resources for accelerator R+D.

FCC not feasible (cost, resources) Linear Collider Intermediate/R&D FCC Tunnel R&D R&D R&D R&D RAD FCC Tunnel Other? Demo Other? Demo Other? Demo To TeV pCM

Suggested points for further discussion:

- Survey suggests no 'strong' consensus for/against LC in our scenario 2 (only marginally more against than in support of any LC facility than the sum CLIC+LCF) - should discuss interplay between medium/ long-term priorities.
- In our 'scenario 2', for bridging projects saw roughly equal levels of support for LEP3 and LHeC- can we discriminate based on how they feed into the longer term programme or is further study needed?
- Implications of medium-term plans for diversity in the field.
- In cross-cutting themes section, strong support was indicated for high-field magnets, R+D towards a muon demonstrator, sustainable accelerators and plasma-based acceleration are we prepared to try to prioritise these based on the route ahead?

(2) what is the preferred alternative, if the preferred option is not feasible?




The diagram an corresponding narrative can be found in the google doc here

Discussion session III-What is the plan B alternative, if plan A isn't competitive?

(3) what is the preferred alternative, if the preferred option would not be competitive?

Suggested sentiments based on survey (relevant to scenario 1):


- The (top) priority should be R+D to reach the 10 TeV pCM scale as soon as possible.
 - Accelerator R+D to shorten the timescale for FCC-hh would be compatible with our support for investing in FCC infrastructure and going to the highest energies.
- R+D towards muon demonstrator also highlighted in additional comments (but not our 'top choice' compared to hadrons?)



Points for further discussion:

- Survey suggests less support for LC if e+e- machine built elsewhere- does this assume 'nominal' staging- what about high-energy LC? (see diagram).
- Possible need for intermediate plan if this plan B would give a gap at CERN (as discussed previously).
- As on slide 35- strong support was accelerator R+D for high-field magnets, muon demonstrator, sustainable
 accelerators and plasma-based acceleration are we prepared to try to prioritise these based on the route ahead?

(3) what is the preferred alternative, if the preferred option would not be competitive?



The diagram an corresponding narrative can be found in the google doc here

Close-out