



Contribution ID: 278 Contribution code: P-THU-23

Type: Poster

## Ion Diffusion in Na Super Ionic Conductors (NaSICON)

Thursday, 1 September 2022 18:20 (20 minutes)

Lithium-ion (Li-ion) batteries are commonly used as energy storage device for both mobile and stationary applications. Even though the Li-ion technology is clearly a huge success story for modern electrochemistry, lately, there has been serious concerns regarding several aspects, e.g., availability and price of lithium raw material [1]. Consequently, the industry is currently and actively looking for alternatives to the Li-ion technology. Here one option might be to simply replace lithium with its neighbour in the periodic table i.e. sodium (Na) [2], which is a more abundant, accessible and less expensive element. A famous group of such compounds is the so-called Na Super Ionic Conductors (NaSICON). One of the materials within the NaSICON family that is known to have highly mobile sodium ions is  $\text{Na}_{1+x}\text{Ti}_{2-x}\text{Fe}_x(\text{PO}_4)_3$  [3]. Electrochemical measurements have suggested that substitution of Fe for Ti results in higher capacity and better retention. Finally, our own studies [4,5] have revealed enhancements of the battery performance by introducing a nano-scale coating of carbon onto the submicron-sized NaSICON particles. However, the underlying mechanism for such effect is still partly unknown. In this study we have investigated the microscopic Na-ion self-diffusion in  $\text{Na}_{1+x}\text{Ti}_{2-x}\text{Fe}_x(\text{PO}_4)_3$  using the muon spin rotation ( $\mu^+$ SR) technique [6,7]. We present values of both activation energy of the diffusion process as well as temperature dependent Na-ion self-diffusion coefficients ( $D_{\text{Na}}$ ).

[1] G. Alexander, J.B. Goodenough, M. Månsson, et al., *Physica Scripta* 95, 062501 (2020)

[2] Kubota & Komaba, *J. Electrochem. Soc.* 162, A2538 (2015)

[3] M.J. Aragón et al., *J. Power Sources* 252, 208 (2014)

[4] S. Difi et al., *J. Phys. Chem. C* 119, 25220 (2015)

[5] S. Difi et al., *Hyperfine Interact* 237, 61 (2016)

[6] Sugiyama, Månsson, *Phys. Rev. Lett.* 103, 147601 (2009)

[7] M. Månsson & J. Sugiyama, *Phys. Scr.* 88, 068509 (2013)

**Primary author:** PALM, Rasmus (KTH Royal Institute of Technology)

**Co-authors:** Dr FORSLUND, Ola Kenji (Chalmers); NOCERINO, Elisabetta (KTH Royal Institute of Technology); Prof. TELLING, Mark T. F. (ISIS); Prof. SAADOUNE, Ismael (IMED, Cadi Ayyad University); Prof. SASSA, Yasmine (Chalmers University of Technology); SUGIYAMA, Jun (CROSS Neutron Science and Technology Center); Prof. EDSTRÖM, Kristina (Uppsala University); MANSSON, Martin (KTH Royal Institute of Technology)

**Presenter:** PALM, Rasmus (KTH Royal Institute of Technology)

**Session Classification:** Posters

**Track Classification:** Energy materials