



Contribution ID: 105 Contribution code: P-TUE-1

Type: Poster

The internal magnetic field in a ferromagnetic compound $\text{Y}_2\text{Co}_{12}\text{P}_7$

Tuesday, 30 August 2022 18:40 (20 minutes)

Various μ^+ SR techniques have been widely used for studying internal magnetic fields in assorted materials [1], such as, antiferromagnets, spin-glasses, paramagnets, and superconductors. However, for ferromagnetic (FM) materials, μ^+ SR faces a difficulty in determining the correct dipole field at the muon site (\mathbf{H}_{dip}) because the internal magnetic field at the muon site in ferromagnets is expressed by; $\mathbf{H}_\mu = \mathbf{H}_{\text{dip}} + \mathbf{H}_L + \mathbf{H}_{\text{hf}}$, where \mathbf{H}_L is the Lorentz field and \mathbf{H}_{hf} is the hyperfine field at the muon site. Therefore, the muon sites and the magnetic structure need to be apprehended for evaluating \mathbf{H}_{dip} but also the saturation magnetization for evaluating \mathbf{H}_L and the local spin density at the muon site for evaluating \mathbf{H}_{hf} .

Considering the three contributions to \mathbf{H}_μ in the above equation, a combined work with μ^+ SR and DFT calculations are needed to provide a reasonable estimate for the ordered magnetic moment of rare earth (R) ions in $\text{Nd}_2\text{Fe}_{14}\text{B}$ and related magnets [2]. Following upon this work, we attempt to estimate the ordered magnetic moments of R ions in cobalt-based FM materials, $R_2\text{Co}_{12}\text{P}_7$ with such combined work. As a first step, a powder sample of $R_2\text{Co}_{12}\text{P}_7$ with $R = \text{Y}$ was measured with μ^+ SR and three clear muon spin precession signals below its Curie temperature ($T_C = 151 \text{ K}$) were found.

[1] A. Yaouanc and P. D. de Réotier, “Muon Spin Rotation, Relaxation, and Resonance, Application to Condensed Matter” (Oxford, New York, 2011).

[2] J. Sugiyama et al., Phys. Rev. Material **3**, 064402 (2019).

Primary authors: SUGIYAMA, Jun (CROSS Neutron Science and Technology Center); Dr OHISHI, Kazuki (CROSS Neutron Science and Technology Center)

Co-authors: Prof. OHTA, Hiroto (Doshisha University); Mr KATO, Yusuke (Tokyo University of Agriculture and Technology); Prof. ARUGA KATORI, Hiroko (Tokyo University of Agriculture and Technology); Mr FORSLUND, Ola K. (KTH); Ms NOCERINO, Elisabetta (KTH Royal Institute of Technology); Dr MATSUBARA, Nami (KTH Royal Institute of Technology); Mr KONSTANTINOS, Papadopoulos (Chalmers University of Technology); Prof. SASSA, Yasmine (Chalmers University of Technology); Prof. MANSSON, Martin (KTH Royal Institute of Technology); Dr HITTL, Bassam (TRIUMF); Dr ARSENEAU, Donald (TRIUMF); Dr MORRIS, Gerald D. (TRIUMF); Prof. BREWER, Jess H. (UBC & TRIUMF)

Presenter: Dr OHISHI, Kazuki (CROSS Neutron Science and Technology Center)

Session Classification: Posters

Track Classification: Strongly correlated electron systems