

## Characterization of Helium Bubble Formation in FeCr Alloys Using Positron Annihilation Lifetime Spectroscopy

Positron annihilation lifetime spectroscopy (PALS) has been used to improve the understanding and prediction of early-stage helium-assisted radiation aging of structural materials. The present study integrates a unique high-energy helium ion irradiation experiment with spallation target irradiation experiments, offering experimental PALS data that reveal the microstructure and a wide range of radiation-induced cluster sizes. Through these analyses, the study estimates the helium-to-vacancy ratio and enhances the existing theoretical model of positron trapping coefficients to account for cluster size and irradiation temperature. The findings confirm the model's effectiveness in characterizing helium-vacancy clusters and helium bubbles up to 1 nm in diameter, formed at irradiation temperatures ranging from room temperature to 300°C. This validation underscores the feasibility of using helium implantations for experimentally simulating spallation radiation environments.

**Primary authors:** Prof. DEGMOVA, Jarmila; Dr NOGA, Pavol; Dr SOJAK, Stanislav; KRSJAK, Vladimir (Slovak University of Technology, Institute of Nuclear and Physical Engineering, Ilkovicova 3, 812 19, Bratislava, Slovakia); Prof. SLUGEN, Vladimir; Dr SONG, Yamin

**Presenter:** KRSJAK, Vladimir (Slovak University of Technology, Institute of Nuclear and Physical Engineering, Ilkovicova 3, 812 19, Bratislava, Slovakia)

**Session Classification:** Poster session

**Track Classification:** Fundamental studies on the effects of radiation damage in materials. Innovative radiation damage resistant materials technology.